

From: KarenD Johnson/R3/USEPA/US
Sent: 4/20/2012 7:56:45 AM
To: Kelley Chase/R3/USEPA/US@EPA
CC:
Subject: Re: Dimock Residential Ground Water Sampling - Week #3 Toxicologist Reports and related DRAFT Residential Data Reports

Thanks Kelly the results look good, just a question about all the "R" values for HW57, but looks like they were rerun at a different limit of detection??
Karen D. Johnson, Chief
Ground Water & Enforcement Branch

From: Kelley Chase/R3/USEPA/US
To: eoc_environmental_unit@epa.gov
Cc: loven.Dawn@epamail.epa.gov, Robert Helverson/R3/USEPA/US@EPA, Lora Werner/R3/USEPA/US@EPA, Karl V Markiewicz <markiewicz.karl@epa.gov>, Victoria Binetti/R3/USEPA/US@EPA, KarenD Johnson/R3/USEPA/US@EPA, Cynthia Caporale/ESC/R3/USEPA/US@EPA, Robin Costas/ESC/R3/USEPA/US@EPA
Date: 04/17/2012 06:06 PM
Subject: Dimock Residential Ground Water Sampling - Week #3 Toxicologist Reports and related DRAFT Residential Data Reports

Attached please find PDFs of the Toxicologist Reports and Draft Residential Data Reports for the 9 locations sampled during Week #4 (2/13/12 - 2/15/12).

While the data has been validated and is considered final, the reports are considered DRAFT until our review is completed. Please be sure to limit the distribution of these reports to an internal review as we have not yet shared the data with residents or with PADEP.

The "tox" reports include additional information (e.g. lab qualifiers, MDLs, QLs, RLs) to assist in the tox review which is not included in the residential reports.

Please note that we are aware that in many cases the established "trigger levels" are lower than the actual detection limits. The R3 tox is taking this into account in her review. We will be prepared to answer questions regarding this issue as they come up during our meetings with residents.

A glossary/key is included at the end of the residential data reports.

Please feel free to contact me with any questions and/or if you need additional info.

Thank you - Kelley

Toxicologist Reports

[attachment "HW-59.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW-03.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW-07.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW-11.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW-27.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW-53.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW-55.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW-57.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW-58.pdf" deleted by KarenD Johnson/R3/USEPA/US]

DRAFT Residential Data Reports

[attachment "HW59.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW03.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW07.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW11.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW27.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW53.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW55.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW57.pdf" deleted by KarenD Johnson/R3/USEPA/US] [attachment "HW58.pdf" deleted by KarenD Johnson/R3/USEPA/US]